

Applications of Emotion Sensing Machines

Adam Beckford (Suffolk, TICV)

Emotion sensing machines will soon become ubiquitous. There is an increasing interest in creating an eco-system of products that can communicate with each other. Wrist watches, smart phones, laptops, tablets, cars, household electronics will soon seamlessly interact with each other. The ability to recognize user emotions becomes increasingly important in such an environment. In the last decade several studies have focused on improving the emotion recognition capabilities in computers with the help of input data from various channels such as webcam, infrared, audio and physiological devices.

Klein et al (2001) developed a system that identified the user's emotional state and provided feedback for support in the form of intelligent companion. A kiosk based system capable of sensing emotional response of consumers while sampling products such as perfumes, sunglasses, make up, wine and other over-the-counter products was developed by Patwardhan et al (2013) using 3D sensor and multi-modal data fusion. The novel idea enabled real time feedback to marketing department and significantly improved product sales and identification of popular consumer accessories proving to be a major advantage over competitors. The system could recognize six basic emotions such as angry, sad, happy, surprise, disgust and afraid. These emotions were modelled on the basis of the work on basic emotions by Ekman (1999).

Lisetti and Nasoz (2002) created a system that could replicate the users emotional by recognizing fear and anger. The system used features from the face, in combination with physiological data to predict the user's state of mind and represent it in the form of virtual agent. Duric et al (2002) integrated perceptual and cognitive abilities into a multimodal environment that enabled intelligent interaction between the human users and computer devices. Maat and

Pantic (2006) developed a tool for efficient human computer interaction. The tool was able to proactively assess the user's mood and adapt the interface corresponding to the detected emotion. This affect aware feedback improved the quality of interaction greatly.

Kapoor et al (2007) implemented an affect sensing companion program which could automatically help a frustrated user based on data obtained from specially designed chair to detect physiological information, skin sensor and cameras. These are all examples of how emotional sensing environments can create a synergy between humans and computers and vastly enhance the interaction level between the user and the surrounding devices.

Various techniques have been used to achieve the emotion sensing technology including facial expression recognition, voice recognition, body language detection and physiological cues. There are still challenges such as lighting conditions, background noise, outdoor scenarios in which such systems still fail to produce accurate results. The research community is heading towards resolving these issues in recent years. However; a lot of improvements in the robustness of systems still needs to be done before it will become pervasive.

Emotion recognition can find use in many fields ranging from security, counselling, marketing, sports, advertisement, medicine and simulated environments. It is important to combine information from various modalities and successfully fuse the data while also maintaining the context awareness. Most of the studies have proved effective only in controlled environments and evaluating spontaneous data still remains a challenge. Furthermore, performance in terms of recognition accuracy and real time feedback remains an area that needs improvements. Thus, it will be interesting to see how this area of

machine vision and affective computing unfolds
in the next few decades.

REFERENCES

- [1] Klein, J., Moon, Y., and Picard, R. W. (2001). This Computer Responds to User Frustration. Interacting with Computers.
- [2] A. S. Patwardhan, "Multimodal Affect Recognition using Kinect", ACM TIST (in review), 2016.
- [3] Ekman, Paul (1999). "Basic Emotions". In Dalglish, T; Power, M. Handbook of Cognition and Emotion (PDF). Sussex, UK: John Wiley & Sons.
- [4] A. S. Patwardhan, "Augmenting Supervised Emotion Recognition with Rule-Based Decision Model", IEEE TAC (in review), 2016.
- [5] C.L. Lisetti and F. Nasoz, "MAUI: A Multimodal Affective User Interface," Proc. 10th ACM Int'l Conf. Multimedia (Multimedia '02), pp. 161-170, 2002.
- [6] A. S. Patwardhan and G. M. Knapp, "EmoFit: Affect Monitoring System for Sedentary Jobs," preprint, arXiv.org, 2016.
- [7] Z. Duric, W.D. Gray, R. Heishman, F. Li, A. Rosenfeld, M.J. Schoelles, C. Schunn, and H. Wechsler, "Integrating Perceptual and Cognitive Modeling for Adaptive and Intelligent Human-Computer Interaction," Proc. IEEE, vol. 90, no. 7, pp. 1272-1289, 2002.
- [8] A. S. Patwardhan and G. M. Knapp, "Multimodal Affect Analysis for Product Feedback Assessment," IIE Annual Conference. Proceedings. Institute of Industrial Engineers-Publisher, 2013.
- [9] L. Maat and M. Pantic, "Gaze-X: Adaptive Affective Multimodal Interface for Single-User Office Scenarios," Proc. Eighth ACM Int'l Conf. Multimodal Interfaces (ICMI '06), pp. 171-178, 2006.
- [10] A. S. Patwardhan and G. M. Knapp, "Affect Intensity Estimation Using Multiple Modalities," Florida Artificial Intelligence Research Society Conference, May. 2014.
- [11] Kapoor, W. Bursleson, and R.W. Picard, "Automatic Prediction of Frustration," Int'l J. Human-Computer Studies, vol. 65, no. 8, pp. 724-736, 2007.